FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICER IN RESPECT OF SCHOOLS SEEKING AFFILIATION WITH THE CENTRAL BOARD OF SECONDARY EDUCATION

(In accordance with School Safety Policy, 2016 issued by the NDMA, Manual on Safety and Security of Children in Schools developed by NCPCR and the National Building Code)

PART-A

(This part is to be filled-up by the school and to be produced before the District Education Officer along with all supporting documents and certificates in original)

1	Name of the School:	DD WDGND 24 2000
	(Name should be exactly as per NOC and recognition certificate)	DR. VIRENDRA SWARUP PUBLIC SCHOOL
2	Address of the School:	Near CSJM University, Kalyanpur, Kanpur
3	U-DISE code allotted to the school: .	09341110928
4	Name and address of the Trust/Society/ Company(under section-8) running the School	
5	Is the Trust/Society/ Company duly registered with the competent registering authority and the registration is valid as on date?	V7ES/NO 02-06-1981
5	Proposed affiliation with CBSE for:	Middle Class/ Secondary/Senior Secondary
7	Location of school	• In the municipal
	v	metropolitan city In the municipal limit of city having
	AT IN 6C	population more than 15 Lokhs In the hill areas (as pe
		planning commission norms)
	Name -	In the municipa limits of capital city of a state
	la the	 In the municipa limits of class-x cities On an island
***	Front:	 In the municipa limits of a hill station
		 In the municipal limits of city having population less than
•	Louisanic	 15 takhs Outside the municipal limits of any town/city.
	Is the School already affiliated to any board for Class-X or XII examinations?	YES/NS/ (If yes name of the Board)
Dr. V	Firendra Swarup Public School	(Also mention whether the school and affiliated for Class-X or XII)

For Dr. Virence Warup Memorial Trust
(Signature of Principal)

Authorised Signatory

PRINCIPAL

DR. VIRENDRA SWARUP PUBLIC SCHOOL
GT ROAD KALYANPUR KANPUR

(Signature of D.E.O.) जिला विद्यालय निरीक्षक

9	Standard/level/class up to which the school is running:	Promclassi to Classiv
INFORI	MATION REGARDING NOC AND RECOGNITION CERTIFICATE	
1.0	Has the school obtained No Objection Certificate from the State Government for Affiliation with CBSE?	VYES/NO
11	Number of NOC and date of issue:	C/1867-74/NOC/2019-20 Date- 20-06-2019
12	Has the school obtained Recognition Certificate from the State Government from class-1 to 8 th ?	YES/NO
13	Number of Recognition Certificate from class-1 to 8 th and date of issue:	40977-85 Date- 08-03-201
INFORI	MATION REGARDING LAND DETAILS AND OWNERSHIP	
14	Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall?	Vies/NO
15 .	Are both the School and the Play Ground situated in a single compound bounded by a single continuous Boundary Wall on all sides?	YES/NO
16	Total area (in square meters) in respect of 14 and 15 above on which the school is situated:	AREA IN SQ.M. 5275.50 SQ.M.
17	The land is in the possession of the school/ Trust/Society/Company legally by way of:	Sair, dead/Leg/Scolor Dead/Allorment etc.
18	Name of the Owner/Lessee of the land in respect of point-15 above:	Dr. Virendra Swarup Memorial T
19	In case the land is in the possession of the society/school by way of lease as per State Government norms, the period of the lease:	FROM TO
20	Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-16 above?	YES/NO
INFORI	MATION REGARDING ESSENTIAL SAFETY REQUIREMENTS	*** \$ **** 47 (54 54 54 54 54 54 54 54 54 54 54 54 54 5
21	Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?	VES/NO
21(a)	If yes the date of last inspection:	09-01-2019
22	Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?	· VES/NO
22(a)	If yes the date of last inspection:	18-09-2018
23	Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	YES/NO
23(a)	If yes the date of last inspection:	27-05-2019
INFORI	MATION REGARDING THE STAFF	
24	Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government?	VES/NO
25	Is the school paying salary to the teachers and other employees as per the norms of the appropriate Government?	VES/NO
26	Is the salary to the teachers and other employees of the school being paid through the bank by mode of electronic clearing?	YES/NO
Viren	(Payment by cheque or cash to the individuals is not allowed).	8/
	N S S S S S S S S S S S S S S S S S S S	र्ड 17) / प्र नला विद्यालिय निरीक्षक कानपुर नगर

(Name, Designation and Stamp)
DISTRICT COLLECTOR/DEPUTY COMMISSIONER
(or his authorised representative*)
NAME OF DISTRICT
(*Not Below the rank of a Group-A Gazetted Officer)

DR. VIRENDRA SWARUP PUBLIC SCHOOL GT ROAD KALYANPUR KANPUR

Virendra Swarup Rublic School

For Dr. Virendra Swarup Memorial Trust (Signature of Principal)

Authorised Signatory

(Signature of D. F.) प्रीक्षक जिला विद्यालय निरीक्षक कानपुर नगर

	The state of the s	The state of the s	
			Appendix-
DIS	TRICT EDUCATION OFFICER SHALL PL	IT A TICK MARK	ACAINICT THE
COL	UMN UNDER WHICH THE SCHOOL IS I	FILL FILL ING THE	AND COITEDIA
Nan	ne and Address of the school:	Total Land and	AND CRITERIA
DR. V	/IRENDRA SWARUP PUBLIC SCHOOL	Total Land area in lawful possession	
Vear C	SJM University, Kalyangur, Kanpur	of school: 5275.50 SQ.M.	
	Sinversity, Karyant ar, Kanpur		
SN	LOCATION OF SCHOOL	PATE OF THE PATE O	
OIN	LOCATION OF SCHOOL	LAND	Please Tick the
		REQUIREMEN	column in which the
		T.	School is fulfilling
,	A 144		requirement
1	Any Where in India	Minimum 6000	
		Square Meters	
2	In Municipal limits of cities with a	Minimum 4000	
	population exceeding 15 Lakhs.	Square Meters	
3	In hilly areas prescribed by the	Minimum 4000	
	Planning Commission (NITI Aayog).		
4.	In Municipal Limits of the State Capital	Square Meters	
	Cities.	Minimum 4000	
5		Square Meters	
J	In the North Eastern States.	Minimum 4000	
^		Square Meters	
6	In the state of Jammu and Kashmir	Minimum 4000	•
		Square Meters	
7	In Municipal Limits of Ghaziabad,	Minimum 4000	
	NOIDA, Faridabad and Gurugram cities	Square Meters	
3	In the Municipal Limits of Panchkula	Minimum 4000	
	and Mohali/SAS Nagar	Square Meters	
9	In the Municipal Limits Class-X cities	Minimum 2000	
	(Ahmedabad, Bengaluru, Hyderabad,		
	Pune).	Square Meters	
, _	Or on the Hill Stations.		
	(For Secondary Level)		
10	In the Municipal Limits Class-X cities	Minimum 3000	
	(Ahmedabad, Bengaluru, Hyderabad,	Square Meters	
	Pune).	oqual c Meters	
	Or on the Hill Stations.		
	(For Senior Secondary Level)		
1	In the Municipal Limits of Chennai,	Minimum 1600	
	Deini, Kolkata and Mumbai	Square Meters	
	Or the state of Arunachal Pradesh.	o qual o motoro	
	Or the state of Sikkim		
	Or the Islands.		
	(For Secondary Level)		
2	In the Municipal Limits of Chennai,	Minimum 2400	
	Delhi, Kolkata and Mumbai	Square Meters	
	Or the state of Arunachal Pradesh.	%	
	Or the state of Sikkim		
	Or the Islands.		
	(For Senior Secondary Level)		•
			Signature

(Name and Stamp of Issuing DEO) DISTRICT EDUCATION OFFICER/NAME OF DISTRICT

For Dr. Virendra Swarup Memorial Trust Dr. Virendra Swarup Public School

aminad Ciamatary

PRINCIPAL (Signature of Principal) is d Signatory DR. VIRENDRA SWARUP PUBLIC SCHOOL GT ROAD KALYANPUP